


**506053 : JESBERG FENESTRATED GRASPING FORCEPS**

Straight, serrated, 19-5/8" (50 cm)

**506060 : JACKSON PEANUT GRASPING FORCEPS**

Straight, serrated, 13-3/4" (35 cm)

**50613AC : Pilling® Rotating tip Fiber Optic Cable Adapter**


Adapter to replace a Pilling rotating instrument end adapter if misplaced. 50613AC: Pilling Rotating tip Fiber Optic Cable Adapter fits the following Pilling cables: A358PRA, O358PRA, P356PRA, P358PRA, S358PRA, W356PXA,...

**50614AC : ACMI to Pilling® Fiberoptic Cable Adapter**

This adapter is to be used with standard Pilling Fiber Optic Cables P358PRA or P356PRA. Converts a Pilling illuminator end to ACMI.

**506152 : GORDON BEAD GRASPING FORCEPS**

Straight, 19-5/8" (50 cm)


**50615AC : Wolf to Pilling® Fiberoptic Cable Adapter**

This adapter is to be used with standard Pilling Fiber Optic Cables P358PRA or P356PRA. Converts a Pilling illuminator end to Wolf.




### **50616AC : ACMI Illuminator End Adapter for Type II Cables**

This adapter attaches to fiber optic cables with a larger Pilling End Fitting on one end and a light carrier permanently attached to the cable on the other end. 527850 - light carrier cable for Improved Tucker...




### **506220 : JACKSON DULL POINTED RING ROTATION FORCEPS**

Straight, serrated, 2.8 mm tip, 13-3/4" (35 cm)



### **506232 : JACKSON DULL POINTED RING ROTATION FORCEPS**

Straight, serrated, 4.5 mm tip, 23-5/8" (60 cm)



### **506251 : JACKSON DOUBLE PRONG GRASPING FORCEPS**

Straight, serrated, 4.5 mm tip, 17-3/4" (45 cm)



### **506252 : JACKSON DOUBLE PRONG GRASPING FORCEPS**

Straight, serrated, 4.5 mm tip, 19-5/8" (50 cm)



### **506330 : CLERF-ARROWSMITH SAFETY PIN CLOSING FORCEPS**

Straight, 4.8 mm tip, 17-3/4" (45 cm)



### **506485 : STRONG SUCTION IRRIGATOR**


9" (23cm)



---

**506490 : JAKO NEEDLE HOLDER**

No lock, 3.2 x 3.2mm jaw, 9 7/8" (25cm)



---

**506663 : Jako Curved Sickle Knife**

Dull finish to reduce glare. May be used with 506888 Feder-Ossoff Universal Ring Handled Knife Handle. Working length 26 cm.506663: Jako Curved Sickle Knife



---

**506664 : Jako Straight Sickle Knife**

Dull finish to reduce glare. May be used with 506888 Feder-Ossoff Universal Ring Handled Knife Handle. Working length 26 cm.506664: Jako Straight Sickle Knife



---

**506665 : Jako Circle Knife**

Dull finish to reduce glare. May be used with 506888 Feder-Ossoff Universal Ring Handled Knife Handle. Working length 26 cm.506665: Jako Circle Knife



---

**506666 : Jako Round Edge Knife**

Dull finish to reduce glare. May be used with 506888 Feder-Ossoff Universal Ring Handled Knife Handle. Working length 26 cm.506666: Jako Round Edge Knife



---

**506669 : Jako Straight Probe**

Dull finish to reduce glare. May be used with 506888 Feder-Ossoff Universal Ring Handled Knife Handle. Working length 26 cm.506669: Jako Probe, straight




---

**506672 : JAKO COAGULATION PROBE**

Working length 8 1/4" (21.0 cm)





### 506673 : Jako Blunt Angled Probe

Dull finish to reduce glare. May be used with 506888 Feder-Ossoff Universal Ring Handled Knife Handle. Working length 26 cm.506673: Jako Blunt Angled Probe



### 506680 : Jako Sickle Knife

10-1/4" (26 cm)



### 506705 : HOLINGER KNIFE HANDLE

For use with surgical blades no. 10, 11, 12, and 15, 11" (28 cm)



### 506707 : HOLINGER LARYNGEAL DISSECTOR

Blunt, Straight, 12" (30.5cm)



### 506800 : Pilling® Feder-Ossoff Phonosurgery Set

Pilling Feder-Ossoff Micro-laryngeal Precision Instruments from Teleflex are designed for microlaryngeal procedures to retain, restore, or improve voice quality. Feder-Ossoff instruments are specially designed for...

